

SAFETY FIRST®

Common Drugs of Abuse Fact Sheet

Call Safety First at (800) 245-1150 for information about company drug testing.
www.safetyfirst.com

Panels	Drug Name	Substance Detected	Detection Times	Street Name	Physical Symptoms
5 Panel	Amphetamines	Amphetamines Methamphetamines	Urine: 2-3 days Oral Fluid: 1-2 days Hair: two weeks to 90 days	Speed, Meth	Anxiety, irritability, rapid speech, tremors, paranoia, fatigue
	Cocaine	Benzoyllecgonine	Urine: 2-3 days Oral Fluid: 12 hrs - 1 day Hair: two weeks to 90 days	Coke, Crack	Nervousness, irritability, tightness of muscles, anxiety
	Marijuana	11-Nor-delta-9tetrahydrocannabinol-9-carboxylic acid	Urine: 1-30 days Oral Fluid: 0 hrs - 1 day Hair: two weeks to 90 days	Pot, Dope	Altered perception, dilated pupils, lack of concentration
	Opiates	Codeine, Morphine	Urine: 1-3 days Oral Fluid: 12 - 36 Hours Hair two weeks to 90 days	Codeine, Morphine, Heroin	Insensitivity to pain, euphoria, sedation, nausea, vomiting
	Phencyclidine	Phencyclidine	Urine: 2-3 days Oral Fluid: 1 - 2 days Hair: two weeks to 90 days	PCP, Angel Dust	Mood and perception alteration, paranoia, panic, anxiety, nausea
Additional drugs than can be added to the above 5-Panel					
10 panel	Barbiturates	Amobarbital, Butobarbital, Mephobarbital, Phenobarbital, Secobarbital	Urine: 1-3 days Phenobarbital 1-3 weeks	Downers	Depression, decreased alertness, intoxication, slurred speech, drowsiness
	Benzodiazepines	Chlordiazepoxide, Diazepam, Flurazepam, Medazepam, Nordiazepam, Oxazepam, Temazepam	Urine: 1-14 days	Downers	Slurred speech, disorientation, drunken behavior
	Methadone	Methadone	Urine: 1-3 days	Done	Euphoria, drowsiness, respiratory, depression, constricted pupils, nausea
	Methaqualone	Methaqualone, Quaalude	Urine: 1-7 days	Ludes	Sleepiness, feeling of well being, dizziness, confusion
	Propoxyphene	NorPropoxyphene	Urine: 1-3 days	Darvon	Dizziness, drowsiness, headache, euphoria, dysphoria
Drugs to be added for the expanded opiate panel					
Expanded Opiates	Hydrocodone	Hydrocodone	Urine: 1-3 days Oral Fluid: 24 - 36 hours	Vicodin	Insensitivity to pain, euphoria, sedation, nausea, vomiting
	Hydromorphone	Hydromorphone	Urine: 1-3 days Oral Fluid: 24 - 36 hours	Dilaudid	Insensitivity to pain, euphoria, sedation, nausea, vomiting
	Oxymorphone	Oxymorphone	Urine: 1-3 days Oral Fluid: 24 - 36 hours	Mumorpham	Insensitivity to pain, euphoria, sedation, nausea, vomiting
	Oxycodone	Oxycodone	Urine: 1-3 days Oral Fluid: 24 - 36 hours	Oxycontin, Percocet, Percodan	Insensitivity to pain, euphoria, sedation, nausea, vomiting
Additional Drugs of Abuse - May be added to create custom panels when needed					
Additional Drugs	MDMA	Methylene dioxymethamphetamine, Methylene dioxyamphetamine	Urine: 2-4 days Oral Fluid: 24 - 36 hours Hair: two weeks to 90 days	Ecstasy, XTC, Love Drug, Adam, Beans	Euphoria, touch and sight senses heightened awareness
	Gamma Hydroxy Bulyrate (GHB)	Gamma hydroxybutyrate	Urine: up to 72 hours	Date Rape drug, Paint Stripper, Liquid Ecstasy, Goop, Georgia Home Boy, Grievous Bodily Harm, Somatomax	Mood wings, euphoria, anxiety, sedation, insomnia
	Ketamine	Ketamine metabolite (dehydronorketamine)	Urine: 1 to 2 days	Special K, Lady "K", Super "C", Cat valium	Sedation, hallucinations, out-of-body experiences. Similar to PCP and LSD
	Anabolic Steroids	Multiple metabolites, some parent steroids. Testosterone to epitestosterone	Urine: (daily consumption orally) up to 3 weeks. (drug injections) 3 months up to one year	Testosterone, Androstendols, Androstendiones, Designer anabolic steroids	Yellow tint skin color, acne, gain in weight, consumption of fluids, aggressiveness. In females: masculinization, deeper voice, male-pattern hair growth
Alcohol	Alcohol	Ethanol	Breath Alcohol Test (BAT)* or Alcohol Swab are both allowed by the DOT. If a swab is used and is positive, it must be followed by a BAT within 30 minutes to confirm the test	Beer, Wine, Booze, Spirits	Depressant, mild tranquilizer or a general anesthetic, slurred speech. At high concentrations produces general anesthesia, death
"Detection Times" are listed as the typical time frames drugs stay in the system but can vary.					